


For frequency analysis... starting at where others stop

Features of FAO

The PowerSight Frequency Analysis Option (order FAO) is a combination of hardware, firmware, and software that allows you to analyze the frequency content of commercial power from 3,000 Hz to 100,000 Hz. These are frequencies above the range of conventional power harmonics. Nevertheless, frequency content in this region can have important impacts on power systems. Since the heating effect of a given current increases with the frequency, very small currents can have large heating effects.



To analyze the high frequency content of power, you will need to plug voltage leads into a Voltage Conditioning box and then plug that box into your PS40000. To analyze the high frequency content of current, you will plug an HA1000 current probe into a special adapter cable that then plugs into your meter. The high frequency content of voltage and current can be evaluated simultaneously. The Voltage Conditioning box and the adapter cable are supplied with the FAO. The FAO can measure frequencies with amplitudes from 100 μ Vrms to 1 Vrms and currents from 6 mA to 60 Arms (with an HA1000 current probe).

This exciting option turns your PowerSight meter into a hand-held spectrum analyzer, as well as a power quality analyzer. It starts its analysis where other power quality analyzers stop.

Pricing and Availability

The FAO option is available for immediate purchase from Summit Technology Inc. and is priced at \$1,195.00 each. The HA1000 current probe and PS4000 meter shown in the picture are not included. To order, simply specify **FAO**. This option is only available for the PS4000 PowerSight meter.

PowerSight® products are manufactured in the USA and sold by Summit Technology, Inc.



For more information on our products contact:

Summit Technology Inc.
2717 N. Main St., Suite 15
Walnut Creek, CA 94597-2747

Voice: 1-925-944-1212
Fax: 1-925-944-7126
Email: sales@SummitTechnology.com

PowerSight® is a trademark of Summit Technology. Prices and specifications are subject to change without notice